



2700 VERTISTRIP



The VertiSTRIP™ is the ultimate tool for residue management, seedbed preparation, and fertilizer incorporation.

Its unique design combines the benefits of strip and vertical tillage principles.

The ultimate high-speed, dual season, easy to use, in-cab adjustable seedbed management tool.

EFFICIENT · DUAL SEASON · PRECISE · DIVERSIFIED

STRIP TILLAGE & VERTICAL TILLAGE CO



Stay in Your Seat

The pneumatic Trailblazer™ row cleaners automatically adjust to contours and conditions in fields, keeping you in the cab and covering acres.

Don't Stop, Adjust on the Fly

The Optimizer Finishing System puts on-the-go control from the cab.




Loup Monitor System

- Includes pressure sensors for row unit down pressure, Trailblazer row cleaners, and finishing reel.

On Board Air Compressor Powered

- 12 Volt, integrated with the Loup Monitor to provide the desired air pressure.

Two Purposes. One Machine. The VertiSTRIP™ isn't just a spring or build new



Clear the Way

Trailblazer Row Cleaners

Trailblazer™ row cleaners are built to handle the roughest conditions. The Finger tooth residue managers and depth wheels are mounted on dual sealed bearings that require zero daily maintenance.

Lead Coulter

- Lead coulter is adjustable to 2, 3, or 4 inch depth relative to depth gauge wheels

COMBINED INTO ONE COHESIVE SYSTEM

a one-season tool. Built for flexibility, it can breathe new life into stale fall-made strips in the strips from the ground up—all with the same unit.

Rugged & Reliable

- Pneumatic down pressure offers consistent pressure for precise depth control of the row unit adjustable from the tractor cab.
- Triple-lip sealed bearings in the parallel arms are made to handle the roughest environments.




Depth Gauge Wheel

Independent depth wheels on each row follow the ground surface effortlessly no matter the terrain, allowing you to till and place your nutrients where they belong.

Knife Option

Engineered to break up compaction and deep-band fertilizer, the VertiSTRIP™ Knife Option features our FlexBerm system for quick, wrench-free berm adjustments.

Available with Mole or Mini-Mole knife choices to tailor your tillage while precision-placing dry, liquid, or NH₃ fertilizers to build the perfect seedbed.



Flex Berm Conditioning System

The flexberm gives simple, wrench-free angle and depth adjustments to float or dig in and build the perfect berm for your conditions. With 18" adjustable blades and wide-open soil flow, flexberm makes it easy to condition strips.

Coulter Strip & Knife Strip

- Engineered to master both coulter strip and knife strip.
- Delivering speed, precision, performance in either role.



Coulter Option

Built for versatility, the VertiSTRIP™ Coulter Option handles spring and fall strip-till, plus strip freshening before planting.

With up to 5" tillage depth, dry incorporation, and precision liquid injection, it delivers high-speed performance in tough conditions.

Whether you're running the knife with FlexBerm to break compaction and build ideal berms, or the dual coulter setup for high-speed tillage and strip freshening, VertiSTRIP™ creates a uniform seedbed that eliminates variability.

The result: great emergence, great roots, and great yields.




Scan for Video



WHY THE LANDOLL VERTISTRIP?

- High-speed operation of 6-10 mph
- In-cab adjustable row cleaners and finishing tool
- Warms up cold / damp soils before planting
- Simple wrench-less machine adjustments
- Vertically tills the seedbed for increased water infiltration
- Aggressive seedbed soil mixing
- Rootzone fertilizer placement and nutrient mixing
- Common greaseless bearings, reducing daily maintenance
- Minimizes horizontal soil layers for better root growth



Vertical Zone Tillage

- With a coulter spacing of 3.5" giving the ideal seedbed.

MODEL SPECIFICATIONS

Model Number	Rows	Spacing	Transport Width	Height*	Estimated Weight
MOUNTED MODELS					
2730-12x30	12	30"	17' 3"	9' 2"	11,700 lb
2730-16x22	16	22"	17' 3"	9' 2"	14,300 lb
2730-16x30	16	30"	19' 9"	N/A	15,500 lb
PULL-TYPE MODELS					
2730-12x30	12	30"	N/A	N/A	N/A
2730-16x30	16	30"	N/A	N/A	N/A
2730-24x30	24	30"	N/A	N/A	N/A

*3 point lift height not included.



1900 North Street • Marysville, KS 66508 • (785) 738-6613 • www.landoll.com

Landoll continuously improves products. We reserve the right to make any changes in illustrations, specifications, equipment, and prices without prior notice and without changes on previous models.

